Herb Curry, Inc. Flammability Technology Pricing Effective January 1, 2025 (No changes from 2024)

Test(s) / Services	Number of Specimens Required	Specimen Size	Price per Set of 3 USD	Price per Each Additional Burn USD
FAR/JAR 25.853. Amendment 25-116				
(a) Part 1, (a), Vertical Burn (i) 60 Sec., or				
(ii) 12 Sec.	4	3" x 12"	\$170.00	\$60.00
(a) Part 1, (a), Horizontal Burn (iv) 2.5 in /				
min., or (v) 4.0 in. /min.	4	3" x 12"	\$170.00	\$60.00
(a) Part 1, (a) 45 Degree Burn FAR 25.855	4	10" x 10"	\$170.00	\$60.00
(d) Part IV OSU Heat Release	4	5.94" x 5.94"*	\$320.00	\$110.00
(d) Part V, FAA Smoke Density	4	2.90" x 2.90"**	\$320.00	\$110.00
ASTM E-662 (flaming)	4	2.90" x 2.90"**	\$320.00	\$110.00
ASTM F-814 (non-flaming)	4	2.90" x 2.90"**	\$320.00	\$110.00
Boeing BSS 7238	4	2.90" x 2.90"**	\$320.00	\$110.00
RAILCAR FRA 49 CFR 238.103				
4 min. Smoke Density	4	2.90" x 2.90"**	\$320.00	\$110.00
ASTM E-662				
20 min. Smoke Density	4	2.90" x 2.90"**	\$1,500.00	\$500.00
Draeger Tube Toxicity of Gasses				
Flaming: Boeing BSS 7239	2	2.90" x 2.90"**	\$350.00	\$180.00
Non-Flaming: Boeing BSS 7239	2	2.90" x 2.90"**	\$350.00	\$180.00
Automotive FMVSS 302				
Horizontal 2.5 in/min or 4.0 in/min	5	4" x 14"	\$250.00	\$50.00
FAA Certification FAA form 8110-3			\$400.00	

For FAA Certification: All Materials / Laminates **MUST** be Conformed: i.e. FAA Forms 8130-3 & 8130-9 (or equivalents i.e. EASA Form One, TCCA-0078). As required by Appendix F, the thickness of the specimen for Heat Release testing must be the same as that of the aircraft component it represents up to a maximum thickness of 1.75". Test specimens representing thicker components must be 1.75".

The thickness of the speciment for Smoke Emission (Toxicity) testing will be the same thickness as the thickness of the part / construction.

Normal turnaround time is 7 - 10 days.